



Ultraglide

The ultimate sliding system for large dimensions with numerous unique applications

100%
MADE IN
BELGIUM


25
YEARS
COLOR
LOCKED



WHEELCHAIR
ACCESSIBLE

aliplast[®]
ALUMINIUM SYSTEMS

Ultraglide




VARIANTES

Ultraglide



center stile = 125 mm
Sash = 100 mm

Ultraglide Max Light



center stile = 45 mm
Sash = 87 mm

Ultraglide Symmetric




center stile = 87 mm
Sash = 87 mm

Options:


Open angle 90°

- ▶ The ultimate connection between inside and outside
- ▶ A fine and esthetic solution
- ▶ Possible to open full corner without support post



Low threshold

- ▶ Very easy to maintain
- ▶ The ideal passage between house and terrace
- ▶ Ideal for people with reduced mobility
- ▶ Ergonomic solution for buildings with a public character





Ultraglide

PERFORMANCE LEVEL

UW-VALUE		1.0 W/m ² K*
UF-VALUE		1.1 W/m ² K
AIR TRANSMISSION	NBN EN 12207	Class 4
WATERTIGHTNESS	NBN EN 12208	Class E900
RESISTANCE TO WIND	NBN EN 12210	Class C5
BURGLARPROOF	NEN 5096 & ENV 1627	RC2
OPERATING PROOF	EN 13115	Class 1
ACOUSTICAL INSULATION		up to 43dB (-2 ; -6)

* 3850mm x 2550mm / UG 0.6W/m²K & PSI 0.036W/MK / profile combination: UG810-UG820N

APPLICATIONS

- Mono-, duo-, 3-rail
- Sliding - and lift-slide system
- Max Light (narrow meeting style)
- Low threshold
- Open angle 90°

PARTICULAR CHARACTERISTICS

- 3 chamber system
- Locks: Sobinco (sliding system) / Hautau (lift-slide system)
- Internal and external reinforcement possible
- Max. pane weight: 250 kg (sliding) & 440 kg (lift&slide)

100% MADE IN BELGIUM



Aliplast develops aluminium profiles tailored to current housing needs. Everything happens under one roof: from drawing to extrusion, powder coating, insulation and transport to the Aliplast distributors. The distributors produce and install the finished windows in your building project.

25-YEAR COLOUR GUARANTEE



Aliplast gives a 25-year guarantee on 50 current colours. The Qualicoat Seaside quality label ensures that your paint colour is extra protected against aggressive environments (exhaust fumes, salty sea air, etc.). You enjoy a 15-year guarantee on all other colours. Peace of mind for the future.

DURABLE PRODUCT



Aluminium is a sustainable product because, in addition to its long lifespan, it is infinitely recyclable without compromising quality. We use a mix of primary billets with the lowest possible carbon footprint and recycled aluminium billets for our systems. The energy required to recycle profiles (melting process) is only 5% of the initial energy needed to produce primary billets.

ALIPLAST NV

Waaslandlaan 15 | B - 9160 Lokeren | info@aliplast.com | www.aliplast.com